























部品番号 番号			
10N49L 5			
			













部品番号 番号		部品番号 番号	
10N50 4		125N180/125N180Q 180°	
			
			

部品番号 番号		部品番号 番号	
125N45/125N45Q 45°		125N90/125N90Q 90°	
			
			


部品番号 番号			
125N90S/125N90SQ 90° 短			
			

部品番号 番号			
12N02 6			
			


部品番号 番号			
12N03 4			
			

<table><tr><td>部品番号</td><td>番号</td></tr><tr><td>13N08</td><td>4</td></tr></table> 	部品番号	番号	13N08	4	<table><tr><td>部品番号</td><td>番号</td></tr><tr><td>13N09</td><td>5</td></tr></table> 	部品番号	番号	13N09	5
部品番号	番号								
13N08	4								
部品番号	番号								
13N09	5								
<table><tr><td>部品番号</td><td>番号</td></tr><tr><td>13N10</td><td>6</td></tr></table> 	部品番号	番号	13N10	6	<table><tr><td>部品番号</td><td>番号</td></tr><tr><td>13N11</td><td>7</td></tr></table> 	部品番号	番号	13N11	7
部品番号	番号								
13N10	6								
部品番号	番号								
13N11	7								
<table><tr><td>部品番号</td><td>番号</td></tr><tr><td>13N12</td><td>8</td></tr></table> 	部品番号	番号	13N12	8	<table><tr><td>部品番号</td><td>番号</td></tr><tr><td>13N13</td><td>10</td></tr></table> 	部品番号	番号	13N13	10
部品番号	番号								
13N12	8								
部品番号	番号								
13N13	10								
<table><tr><td>部品番号</td><td>番号</td></tr><tr><td>13N14</td><td>4</td></tr></table> 	部品番号	番号	13N14	4	<table><tr><td>部品番号</td><td>番号</td></tr><tr><td>13N15</td><td>5</td></tr></table> 	部品番号	番号	13N15	5
部品番号	番号								
13N14	4								
部品番号	番号								
13N15	5								
<table><tr><td>部品番号</td><td>番号</td></tr><tr><td>13N16</td><td>6</td></tr></table> 	部品番号	番号	13N16	6	<table><tr><td>部品番号</td><td>番号</td></tr><tr><td>13N17</td><td>7</td></tr></table> 	部品番号	番号	13N17	7
部品番号	番号								
13N16	6								
部品番号	番号								
13N17	7								
<table><tr><td>部品番号</td><td>番号</td></tr><tr><td>13N18</td><td>8</td></tr></table> 	部品番号	番号	13N18	8	<table><tr><td>部品番号</td><td>番号</td></tr><tr><td>13N19</td><td>10</td></tr></table> 	部品番号	番号	13N19	10
部品番号	番号								
13N18	8								
部品番号	番号								
13N19	10								


部品番号	番号
14N57	4




部品番号	番号
14N58	5




部品番号	番号
14N59	6




部品番号	番号
14N60	7




部品番号	番号
14N61	8




部品番号	番号
14N61-10	10




部品番号	番号
14N61-12	12




部品番号	番号
50N03	




部品番号	番号
50N04	




部品番号	番号
53N23	3














部品番号	番号
53N24	4




部品番号	番号
53N25	5




<table><tr><td>部品番号</td><td>番号</td></tr><tr><td>53N26</td><td>6</td></tr></table> 	部品番号	番号	53N26	6	<table><tr><td>部品番号</td><td>番号</td></tr><tr><td>53N27</td><td>6</td></tr></table> 	部品番号	番号	53N27	6
部品番号	番号								
53N26	6								
部品番号	番号								
53N27	6								
<table><tr><td>部品番号</td><td>番号</td></tr><tr><td>53N28</td><td>4</td></tr></table> 	部品番号	番号	53N28	4	<table><tr><td>部品番号</td><td>番号</td></tr><tr><td>53N58</td><td>4</td></tr></table> 	部品番号	番号	53N58	4
部品番号	番号								
53N28	4								
部品番号	番号								
53N58	4								
<table><tr><td>部品番号</td><td>番号</td></tr><tr><td>53N59</td><td>5</td></tr></table> 	部品番号	番号	53N59	5	<table><tr><td>部品番号</td><td>番号</td></tr><tr><td>53N60</td><td>6</td></tr></table> 	部品番号	番号	53N60	6
部品番号	番号								
53N59	5								
部品番号	番号								
53N60	6								
<table><tr><td>部品番号</td><td>番号</td></tr><tr><td>53N61</td><td>7</td></tr></table> 	部品番号	番号	53N61	7	<table><tr><td>部品番号</td><td>番号</td></tr><tr><td>53N61S</td><td>8</td></tr></table> 	部品番号	番号	53N61S	8
部品番号	番号								
53N61	7								
部品番号	番号								
53N61S	8								
<table><tr><td>部品番号</td><td>番号</td></tr><tr><td>53N87</td><td>12</td></tr></table> 		部品番号	番号	53N87	12				
部品番号	番号								
53N87	12								
<table><tr><td>部品番号</td><td>番号</td></tr><tr><td>53N87L</td><td>12</td></tr></table> 		部品番号	番号	53N87L	12				
部品番号	番号								
53N87L	12								







部品番号	番号
54N16	6




部品番号	番号
54N16L	6L




部品番号	番号
54N17	5




部品番号	番号
54N17L	5L




部品番号	番号
54N18	4



部品番号	番号
54N19	



部品番号	番号
57N74	8



ラメール株式会社

Technical drawing of a mechanical part, labeled "Fig. 10.10". The part is a horizontal shaft with a central section of length 69.9 mm. The left end has a diameter of 16.8 mm, and the right end has a diameter of 30.5 mm. The central section has a diameter of 12.6 mm. The part is shown in a cross-sectional view, with a dashed line indicating the center axis. The part is labeled "1-16UNF" at the bottom right.

Technical drawing of a 1-16UNF-2A plug-in nut. The drawing shows a side view of the nut with the following dimensions:

- Overall length: 82.9mm
- Length of the hexagonal section: 34mm
- Outer diameter of the hexagonal section: $\phi 26.1\text{mm}$
- Outer diameter of the threaded section: $\phi 31.3\text{mm}$
- Thread specification: 1-16UNF
- Inner diameter of the threaded section: $\phi 12.7\text{mm}$
- Outer diameter of the hexagonal section (including flange): $\phi 18.6\text{mm}$

Technical drawing of a 1/4-28 UNF-2B hex bolt. The drawing shows the bolt with its dimensions:

- Total length: 120.4mm
- Hex head diameter: $\phi 26.6\text{mm}$
- Hex head width across flats: $\phi 31.4\text{mm}$
- Hex head height: 33.9mm
- Thread length: 18.6mm
- Thread diameter: $\phi 12.4\text{mm}$
- Thread specification: 1-16UNF


Technical drawing of a 1-16 UNF nut. The drawing shows a side view of the nut with the following dimensions:


- Overall length: 47.63mm
- Length of the hexagonal portion: 31.75mm
- Outer diameter of the hexagonal portion: $\phi 26.1\text{mm}$
- Outer diameter of the threaded portion: $\phi 13.40\text{mm}$
- Inner diameter of the threaded portion: $\phi 9.53\text{mm}$
- Thread specification: 1-16 UNF








Technical drawing of a mechanical part, likely a nozzle or probe, showing dimensions and a thread specification. The drawing includes the following dimensions and features:

- Overall length: 69.5mm
- Length of the threaded section: 29mm
- Outer diameter of the main body: $\phi 13.6\text{mm}$
- Inner diameter of the main body: $\phi 9.3\text{mm}$
- Outer diameter of the nozzle tip: $\phi 26.4\text{mm}$
- Inner diameter of the nozzle tip: $\phi 30.6\text{mm}$
- Thread specification: 1-16UNF (indicated by an arrow pointing to the threaded section)

Technical drawing of a 1/4-16 UNF-2B hex nut. The drawing shows the nut with its dimensions: overall length 82.7mm, hex width across flats 33.7mm, hex height 26mm, and thread diameter 16mm. The thread is specified as 1-16UNF.





<table><tr><th>部品番号</th><th>番号</th></tr><tr><td>SP-20082</td><td></td></tr></table>	部品番号	番号	SP-20082						
部品番号	番号								
SP-20082									
<table><tr><th>部品番号</th><th>番号</th></tr><tr><td>SP-20083</td><td></td></tr></table>	部品番号	番号	SP-20083						
部品番号	番号								
SP-20083									
<table><tr><th>部品番号</th><th>番号</th></tr><tr><td>SP-20085</td><td></td></tr></table>	部品番号	番号	SP-20085						
部品番号	番号								
SP-20085									
<table><tr><th>部品番号</th><th>番号</th></tr><tr><td>SW-180</td><td></td></tr></table> 	部品番号	番号	SW-180		<table><tr><th>部品番号</th><th>番号</th></tr><tr><td>SW-182</td><td></td></tr></table> 	部品番号	番号	SW-182	
部品番号	番号								
SW-180									
部品番号	番号								
SW-182									
<table><tr><th>部品番号</th><th>番号</th></tr><tr><td>SW-185</td><td></td></tr></table> 	部品番号	番号	SW-185		<table><tr><th>部品番号</th><th>番号</th></tr><tr><td>SW-186</td><td></td></tr></table> 	部品番号	番号	SW-186	
部品番号	番号								
SW-185									
部品番号	番号								
SW-186									